

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

1 Identification

- · Product identifier
 - Trade name: dima Print Impression blue / pink, dima Print Guide, dima Print Denture
 - Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Methacrylic oligomer

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

· Classification system

· NFPA ratings for USA (scale 0-4)



(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima Print Denture

(Contd. of page 1)

· HMIS-Ratings (Scale 0-4)



Health = 0 Fire = 0 Reactivity = 0

- Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: -

Dangerous components:

72896-86-4	Methacrylic oligomer	Skin Sens. 1, H317	10-25%
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Skin Sens. 1. H317	0-5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of complaints.
 - · After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor
 - Most important symptoms and effects, both acute and delayed
 No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima **Print Denture**

· Additional information -

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapor / mist / gas.

Avoid contact with eyes and skin.

· Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

· Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues). Dispose of the collected material according to regulations.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and receptacles:

Store in cool, dry place in tightly closed receptacles.

Protect from exposure to the light.

Information about storage in one common storage facility:

Store away from oxidizing agents.

- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 4)



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima Print Denture

(Contd. of page 3)

Avoid contact with the eyes and skin.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation. Filter P2.

· Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

· Eye protection: Tightly sealed goggles.

· Body protection: Light weight protective clothing

9 Physical and chemical properties

Information on basic physical and che General Information	emical properties
· Appearance:	
· Form:	Fluid
· Color:	Blue
	Pink
	_ Orange
Odor:	Ester-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	>200 °C (>392 °F)
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	375 °C (707 °F)
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower:	Not determined.
	(Contd. on page 5

(Contd. on page 5)



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima Print Denture

(Contd. of page 4)

· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
 Density: Relative density at 20 °C (68 °F) Vapor density Evaporation rate 	Not determined 1.1 - 1.2 g/cm3 Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:	1.1 mPoo	

· dynamic at 20 °C (68 °F):
· kinematic:

1.1 mPas
Not determined.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid Heat, flames and sparks.
- · Incompatible materials:

Radical initiator

Strong oxidizers

- · Hazardous decomposition products: none
- · Additional information:

Product might polymerize after considerable exceeding of recommended storage time or temperature.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - · LD/LC50 values that are relevant for classification:

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral LD50 > 2000 mg/kg (rat)

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
 - Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

USA



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima Print Denture

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

EC50/72h > 0.26 mg/l (algae) (OECD 201)

EC50/48h > 1.175 mg/l (daphnia) (OECD 202)

LC50/96h >0.09 mg/l (fish) (OESO 203)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
Packing group · DOT, ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
Transport/Additional information:	-	

(Contd. on page 7)



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima **Print Denture**

(Contd. of page 6)

· UN "Model Regulation":

Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act) None of the ingredients is listed.
- Cancerogenity categories
 - · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Methacrylic oligomer

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Hazard statements

May cause an allergic skin reaction.

· Précautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

- · Date of preparation / last revision 07/13/2017 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2017

Reviewed on 07/13/2017

Trade name: dima Print Impression blue / pink, dima Print Guide, dima **Print Denture**

(Contd. of page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PBI: Permissible Exposure Limit

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.