



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

· **Product identifier**

· **Trade name: Paladon 65 powder**

· **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Manufacture of dental prothesis

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**  
Kulzer Australia Pty Ltd  
Unit 20, 53 Lorraine St  
PEAKHURST NSW 2210  
Australia

Tel: +61 (02) 9153 0311

· **Informing department:** see above

· **Emergency telephone number:**

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

## 2 Hazard(s) Identification

· **Classification of the substance or mixture**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

methyl methacrylate  
dibenzoyl peroxide

· **Hazard statements**

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid release to the environment.  
Wear protective gloves / eye protection.  
IF ON SKIN: Wash with plenty of soap and water.

· **Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Product based on methacrylate copolymers

(Contd. on page 2)

AU



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 1)

**Dangerous components:**

80-62-6	methyl methacrylate	Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥1-≤5%
94-36-0	dibenzoyl peroxide	Self-react. B, H241; Org. Perox. B, H241 Eye Irritation 2A, H319; Skin Sens. 1, H317	≥0.1-<1%

#### 4 First Aid Measures

**Description of first aid measures**

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **Information for doctor**
  - **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### 5 Fire Fighting Measures

- **Extinguishing media**
  - **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:** No special measures required.
- **Additional information** -

#### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Avoid contact with eyes and skin.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections**  
No dangerous materials are released.  
See Section 8 for information on personal protection equipment.

#### 7 Handling and Storage

- **Handling**
  - **Precautions for safe handling** No special measures required.
  - **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Store cool (not above 25 °C).
  - **Specific end use(s)** No further relevant information available.

**8 Exposure controls and personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with critical values that require monitoring at the workplace:**

**80-62-6 methyl methacrylate**

WES	Short-term value: 416 mg/m <sup>3</sup> , 100 ppm
	Long-term value: 208 mg/m <sup>3</sup> , 50 ppm
	Sen

**94-36-0 dibenzoyl peroxide**

WES	Long-term value: 5 mg/m <sup>3</sup>
	Sen

- **DNELs**

**80-62-6 methyl methacrylate**

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m <sup>3</sup> (not defined)
	worker industrial, long term, systemic	348.4 mg/m <sup>3</sup> (not defined)
	worker industrial, long term, local	208 mg/m <sup>3</sup> (not defined)
	general population, acute, local	208 mg/m <sup>3</sup> (not defined)
	general population, long term, systemic	74.3 mg/m <sup>3</sup> (not defined)

**94-36-0 dibenzoyl peroxide**

Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m <sup>3</sup> (not defined)

- **PNECs**

**80-62-6 methyl methacrylate**

freshwater	0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

**94-36-0 dibenzoyl peroxide**

freshwater	0.00002 mg/l (not defined)
marine water	0.000002 mg/l (not defined)
sewage treatment plant	0.35 mg/l (not defined)

(Contd. on page 4)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 3)

sediment, dry weight, freshwater	0.013 mg/Kg (not defined)
sediment, dry weight, marine water	0.001 mg/Kg (not defined)
soil, dry weight	0.003 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye protection:** Safety glasses

· **Body protection:** Light weight protective clothing

**9 Physical and Chemical Properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Powder

· **Colour:**

Colourless

Pink

· **Smell:**

Odourless

· **Odour threshold:**

Not determined.

· **pH-value:**

Mixture is non-soluble (in water).

· **Change in condition**

· **Melting point/freezing point:**

Not determined

· **Initial boiling point and boiling range:** Not determined

· **Flash point:**

Not applicable

· **Inflammability (solid, gaseous)**

Not determined.

· **Ignition temperature:**

400.0 °C

· **Decomposition temperature:**

Not determined.

(Contd. on page 5)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 4)

· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive powder/air mixtures is possible.
· <b>Critical values for explosion:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Steam pressure:</b>	Not applicable.
· <b>Density at 20 °C</b>	0 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Insoluble
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not applicable.
· <b>kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
· <b>Solids content:</b>	100.0 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None
- **Additional information:** -

### 11 Toxicological Information

- **Information on toxicological effects**
  - **Acute toxicity**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>80-62-6 methyl methacrylate</b>		
Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)
<b>94-36-0 dibenzoyl peroxide</b>		
Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)

(Contd. on page 6)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 5)

- **Primary irritant effect:**
  - **Skin corrosion/irritation** No irritant effect.
  - **Serious eye damage/irritation** No irritant effect.
  - **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.

**12 Ecological Information**

· **Toxicity**

· **Aquatic toxicity:**

**80-62-6 methyl methacrylate**

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

**94-36-0 dibenzoyl peroxide**

EC50/72h	0.042 mg/l (algae) (OECD 201)
EC50/48h	0.11 mg/l (daphnia) (OECD 202)
LC50/96h	0.06 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOEC / 72h	0.02 mg/l (algae) (OECD 201)
NOEC / 96h	0.032 mg/l (fish) (OECD 203)
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)

· **Persistence and degradability**

**80-62-6 methyl methacrylate**

Biodegradation 94 % /14d (not defined) (OECD 301C)

**94-36-0 dibenzoyl peroxide**

Biodegradation 71 % /28d (not defined) (OECD 301D)

· **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**





(Contd. of page 6)

- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
  - **Recommendation:**  
Disposal must be made according to official regulations.  
Non contaminated packagings can be used for recycling.

### 14 Transport information

- **UN-Number**
  - **ADG, IMDG, IATA** UN3077
- **UN proper shipping name**
  - **ADG** 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
  - **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), MARINE POLLUTANT
  - **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
- **Transport hazard class(es)**
  - **ADG**  
  

    - **Class** 9 (M7) Miscellaneous dangerous substances and articles.
    - **Label** 9
- **IMDG, IATA**  
  

  - **Class** 9 Miscellaneous dangerous substances and articles.
  - **Label** 9

(Contd. on page 8)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

(Contd. of page 7)

· <b>Packing group</b> · <b>ADG, IMDG, IATA</b>	<b>III</b>
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No Symbol (fish and tree)
· <b>Special marking (ADG):</b> · <b>Special marking (IATA):</b>	Symbol (fish and tree) Symbol (fish and tree)
· <b>Special precautions for user</b> · <b>Kemler Number:</b> · <b>EMS Number:</b> · <b>Stowage Category</b> · <b>Stowage Code</b>	Warning: Miscellaneous dangerous substances and articles. 90 F-A, S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>ADG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· <b>Transport category</b> · <b>Tunnel restriction code</b>	3 (-)
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· <b>UN "Model Regulation":</b>	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· <b>Australian Inventory of Industrial Chemicals</b>	
25086-15-1	2-Propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate
94-36-0	dibenzoyl peroxide
9004-35-7	Red acetate fibers
68186-87-8	Cobalt zinc aluminate blue spinel

· **Directive 2012/18/EU**

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

(Contd. on page 9)





**Safety Data Sheet  
according to WHS Regulations**

Printing date 07.07.2022

Version number 4

Revision: 04.07.2022

**Trade name: Paladon 65 powder**

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

## 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Self-react. B: Self-reactive substances and mixtures – Type B
- Org. Perox. B: Organic peroxides – Type B
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· \* **Data compared to the previous version altered.**

AU